



Exhaust fans EET series



Product description

Exhaust fans for wall mounting of premises.




Construction	Manufactured from plastic Decorative front panel Fan: axial Type of bearing: slide bearing Motor protection class: IPX4
Installation	Mounting with all type round ducts: sheet metal, flexible aluminium, plastic or fabric Mounting positions: vertical Location: indoors
Power supply	230V-50Hz single phase
Temperature range	+5°C to + 40°C

DIMENSIONS [mm]					
Type	A	B	C	D	E
EET100	145	145	80	99	35
EET125	170	170	80	124	35
EET150	195	195	80	149	35

Exhaust fans EET series

Technical data

Type	Voltage [V-Hz]	Power [W]	IP	Speed [rpm]	Air flow [m3/h]	Noise level at 1m [dB(A)]	Temperature min/max [°C]	Weight [kg]
EET100	230V-50Hz	15	IPX4	2550	100	32	+5/+40	0,43
EET125	230V-50Hz	16	IPX4	2360	150	36	+5/+40	0,52
EET150	230V-50Hz	20	IPX4	2100	200	40	+5/+40	0,66



Modifications

EExxT - fan is equipped with a timer function

EExxHT - fan is equipped with a humidity level control function

EExxB - fan is equipped with ball bearings inside of the motor

EExx-12V - fan is equipped with a 12V motor

EExx-7W - fan is equipped with a 7W motor

Colours

EExxG - gold

EExxS - silver

EExxA - anthracite

EExxC - cream